

Printing date 03/28/2019 Reviewed on 03/28/2019

1 Identification

Product identifier

· Trade name: TIRE WHEEL & BODY CLEANER LEMON

· Article number: K-45-834-9LM

· Details of the supplier of the safety data sheet

Manufacturer/Supplier: Kaady Chemical Corp. 2545 SW SPRING GARDEN ST STE 120 PORTLAND, OR 97219

1-510-562-9788

www.kaadychemical.com

Information department: Product safety department

· Emergency telephone number: CHEMTREC (800) 424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

tetrasodium ethylenediaminetetraacetate

Monoethanolamine

2-butoxyethanol

Alcohol C9-11

· Hazard statements

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

(Contd. on page 2)



Printing date 03/28/2019 Reviewed on 03/28/2019

Trade name: TIRE WHEEL & BODY CLEANER LEMON

(Contd. of page 1)

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves / eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water. Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 1Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
64-02	2-8 tetrasodium ethylenediaminetetraacetate	<20%
111-76	6-2 2-butoxyethanol	<10%
141-43	3-5 Monoethanolamine	<10%
68439-46	6-3 Alcohol C9-11	<5%

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of 1910.1200 of 29 CFR 1910.1200 Trade Secrets.



Printing date 03/28/2019 Reviewed on 03/28/2019

Trade name: TIRE WHEEL & BODY CLEANER LEMON

(Contd. of page 2)

4 First-aid measures

- Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:

If skin irritation occurs, seek medical advice.

Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eyes for at least 15 minutes under running water.

If easy to do so, remove contact lenses if worn.

If eye irritation persists, see medical advice.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and drink plenty of water or milk.

Do not induce vomiting witout medical advice.

If vomitiung does occur, repeat fluid administration.

If irritation or discomfort occurs, seek medical advice.

Immediately call a doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with the skin or eyes.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Printing date 03/28/2019 Reviewed on 03/28/2019

Trade name: TIRE WHEEL & BODY CLEANER LEMON

(Contd. of page 3)

See Section 13 for disposal information.

PAC-1:		
64-02-8	tetrasodium ethylenediaminetetraacetate	75 mg/m ³
111-76-2	2-butoxyethanol	60 ppm
141-43-5	Monoethanolamine	6 ppm
PAC-2:		·
64-02-8	tetrasodium ethylenediaminetetraacetate	830 mg/m ²
111-76-2	2-butoxyethanol	120 ppm
141-43-5	Monoethanolamine	170 ppm
PAC-3:		5,000 mg/m ²
	tetrasodium ethylenediaminetetraacetate	3,000 mg/m
64-02-8	2-butoxyethanol	700 ppm

7 Handling and storage

- Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

All ventilation should be disigned in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

(Contd. on page 5)





Printing date 03/28/2019 Reviewed on 03/28/2019

Trade name: TIRE WHEEL & BODY CLEANER LEMON

(Contd. of page 4)

111-76-2 2-butoxyethanol

PEL Long-term value: 240 mg/m³, 50 ppm

Skin

REL Long-term value: 24 mg/m³, 5 ppm

Skin

TLV Long-term value: 97 mg/m³, 20 ppm

BEI

141-43-5 Monoethanolamine

PEL Long-term value: 6 mg/m3, 3 ppm

REL | Short-term value: 15 mg/m³, 6 ppm

Long-term value: 8 mg/m³, 3 ppm

TLV | Short-term value: 15 mg/m³, 6 ppm | Long-term value: 7.5 mg/m³, 3 ppm

· Ingredients with biological limit values:

111-76-2 2-butoxyethanol

BEI 200 mg/g creatinine

Medium: urine Time: end of shift

Parameter: Butoxyacetic acid with hydrolysis

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)





Printing date 03/28/2019 Reviewed on 03/28/2019

Trade name: TIRE WHEEL & BODY CLEANER LEMON

(Contd. of page 5)

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Phys	ical and	chemic	al pro	perties

9 Physical and chemical prope	i lies
 Information on basic physical and of General Information Appearance: Form: Color: 	chemical properties Liquid Green
· Odor: · Odor threshold:	Characteristic Not determined.
· pH-value:	12>
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	240 °C (464 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
 Density (Specific Gravity): Relative density Vapor density Evaporation rate 	Not determined. Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.

(Contd. on page 7)





Printing date 03/28/2019 Reviewed on 03/28/2019

Trade name: TIRE WHEEL & BODY CLEANER LEMON

(Contd. of page 6)

Solvent content:

Organic solvents:Proprietary %Water:Proprietary %VOC content:Proprietary %

120.0 g/l / 1.00 lb/gal

Solids content: 0.0 %

· Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
ATE (Acu	ATE (Acute Toxicity Estimate)		
Oral	LD50	2,264–2,316 mg/kg	
Dermal	LD50	>4,255 mg/kg	
Inhalative	LC50/4 h	91.7 mg/l	

IIIIIaialive	LU30/4 11	91.7 High	
111-76-2	111-76-2 2-butoxyethanol		
Oral	LD50	1,480 mg/kg (rat)	
Dermal	LD50	400 mg/kg (rab)	
141-43-5	141-43-5 Monoethanolamine		
Oral	LD50	2,050 mg/kg (rat)	
Dermal	LD50	1,000 mg/kg (rabbit)	
68439-46-	68439-46-3 Alcohol C9-11		
Oral	LD50	1,000–2,000 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rabbit)	
.	:1 1		

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 8)



Printing date 03/28/2019 Reviewed on 03/28/2019

Trade name: TIRE WHEEL & BODY CLEANER LEMON

(Contd. of page 7)

Harmful Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

111-76-2 2-butoxyethanol

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

68439-46-3 Alcohol C9-11

EC50 5-6 mg/kg (daphnia)

- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

- US





Printing date 03/28/2019 Reviewed on 03/28/2019

Trade name: TIRE WHEEL & BODY CLEANER LEMON

(Contd. of page 8)

UN-Number	not vo sudato d
DOT, ADN, IMDG, IATA	not regulated
UN proper shipping name DOT, ADN, IMDG, IATA	not regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA	
Class	not regulated
Packing group	
DOT, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II or	f
MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):
 - 111-76-2 2-butoxyethanol
- TSCA (Toxic Substances Control Act):

•	,
64-02-8	tetrasodium ethylenediaminetetraacetate
	TRADE SECRET
111-76-2	2-butoxyethanol
141-43-5	Monoethanolamine
68439-46-3	Alcohol C9-11
7732-18-5	water, distilled, conductivity or of similar purity

- Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 10)





Printing date 03/28/2019 Reviewed on 03/28/2019

Trade name: TIRE WHEEL & BODY CLEANER LEMON

(Contd. of page 9)

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- EPA (Environmental Protection Agency)

111-76-2 2-butoxyethanol

NL

TLV (Threshold Limit Value established by ACGIH)

111-76-2 2-butoxyethanol

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

tetrasodium ethylenediaminetetraacetate

Monoethanolamine

2-butoxyethanol

Alcohol C9-11

· Hazard statements

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves / eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 11)





Printing date 03/28/2019 Reviewed on 03/28/2019

Trade name: TIRE WHEEL & BODY CLEANER LEMON

(Contd. of page 10)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Department issuing SDS: Environment protection department.
- Contact: -
- · Date of preparation / last revision 03/28/2019 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

* * Data compared to the previous version altered.