

\*

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/07/2018

Reviewed on 04/07/2018

Product Ide	entifier
	e: LIQUID MITT
	Imber: K-LMO
	lentified uses of the substance or mixture and uses advised against:
	scription: Mild Alkaline Cleaner of the substance / the mixture: Cleaner for Hand-Wiping Surfaces
	he Supplier of the Safety Data Sheet:
	rer/Supplier:
Kaady Cher	PRING GARDEN ST STE 120
PORTLAND	
510-562-978	
	chemical.com
-	
Emergency	v telephone number: +1-800-424-9300
Hazard(s,	) Identification
Classificati	ion of the substance or mixture:
	HS07
$\sim$	
Acute Tox.	4 H302 Harmful if swallowed.
Eye Irrit. 2B	H320 Causes eye irritation.
Label elem	ents:
GHS label e	
	t is classified and labeled according to the Globally Harmonized System (GHS).
Hazard pict	ograms:
$\wedge$	
$\langle 1 \rangle$	
$\checkmark$	
GHS07	
Signal word	d: Warning
-	ermining components of labeling:
Alcohol C9-	
Monoethand	
Hazard ato	tements:
	ful if swallowed.
H302 Harmi	es eye irritation.
H302 Harmi H320 Cause	
H302 Harmi H320 Cause <b>Precaution</b>	ary statements:
H302 Harmi H320 Cause <b>Precaution</b> P210	ary statements: Keep away from heat No smoking.
H302 Harmi H320 Cause <b>Precaution</b> P210 P233	ary statements: Keep away from heat No smoking. Keep container tightly closed.
H302 Harmi H320 Cause <b>Precaution</b> P210 P233 P261	<b>ary statements:</b> Keep away from heat No smoking. Keep container tightly closed. Avoid breathing dust/fume/gas/mist/vapors/spray.
H302 Harmi H320 Cause <b>Precaution</b> P210 P233 P261 P262	ary statements: Keep away from heat No smoking. Keep container tightly closed. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.
H302 Harmi H320 Cause <b>Precaution</b> P210 P233 P261	<b>ary statements:</b> Keep away from heat No smoking. Keep container tightly closed. Avoid breathing dust/fume/gas/mist/vapors/spray.

The Science of Cleaning®

Page 2/12

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/07/2018 Reviewed on 04/07/2018

Trade Name: LIQUID MITT

P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection / face protection.
P301+P330+P3	331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P3	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P312	IF INHALED: Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice.
P337	If eye irritation persists:
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P411	Store at temperatures not exceeding 122 F.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Unknown acut	te toxicity:
This value refer	rs to knowledge of known, established toxicological or ecotoxicological values. <ture component(s)="" consists="" of="" td="" toxicity.<="" unknown=""></ture>
	system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
NFPA ratings	
	ealth = 1 ire = 1 eactivity = 0
· HMIS-ratings (	(scale 0 - 4)
HEALTH *1 H	
· · · · · · · · · · · · · · · · · · ·	Health = *1 Fire = 1

1 Fire = 1 **REACTIVITY** O Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

<ul> <li>Non-hazardous com</li> </ul>	ponents:				
Non-Hazardous Components		>80%			
Chemical characteri.     Description: Mixture     Dangerous Compon	of substances listed below with non-hazardous additions.				
CAS: 68439-46-3	Alcohol C9-11	<10%			
	😔 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315				
CAS: 141-43-5	Monoethanolamine	<5%			
RTECS: KJ 5775000	♦ Skin Corr. 1B, H314; ♦ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Flam. Liq. 4, H227	-			
CAS: 67-63-0	Isopropyl alcohol	>5%			
RTECS: NT 8050000	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2A, H319; STOT SE 3, H336				



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/07/2018

Reviewed on 04/07/2018

#### Trade Name: LIQUID MITT

#### Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

#### 4 First-Aid Measures

#### · Description of first aid measures:

· After inhalation:

Give oxygen or artificial respiration if needed. If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

· After skin contact:

Promptly flush skin with water for at least 15 minutes to ensure all chemical is removed. Remove contaminated clothing and wash before reuse. If reddening develops and/or persists, see a physician.

#### · After eve contact:

Flush with large amounts of water for at least 15 minutes, lifting upper and lower lids occasionally. Remove contact lenses if present and easy to do so. Get immediate medical attention.

#### · After swallowing:

Rinse mouth with water. Give 3-4 glasses of water or milk to dilute stomach contents. Do NOT induce vomiting. Seek immediate medical attention.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed: No further relevant information available.

## 5 Fire-Fighting Measures

- · Extinguishing media:
- · Suitable extinguishing agents: CO2, sand, dry chemical, water mist or alcohol resistant foam. Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture:

Carbon oxides Nitrogen oxides (NOx) Aldehydes

- Advice for firefighters:
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. Keep from contacting skin or eyes. Avoid breathing vapors, mist or gas.

(Contd. on page 4)

US



# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/07/2018 Reviewed on 04/07/2018 Trade Name: LIQUID MITT Ensure adequate ventilation. Evacuate personnel to safe areas. Remove all sources of ignition. • Environmental precautions: Do not allow to enter sewers/surface or ground water. · Methods and material for containment and cleaning up: Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Dispose of the collected material according to regulations. Reference to other sections: See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: 141-43-5 Monoethanolamine 6 ppm 67-63-0 Isopropyl alcohol 400 ppm · PAC-2: 141-43-5 Monoethanolamine 170 ppm 67-63-0 Isopropyl alcohol 2000\* ppm · PAC-3: 141-43-5 Monoethanolamine 1,000 ppm 67-63-0 Isopropyl alcohol 12000\*\* ppm 7 Handling and Storage · Handling · Precautions for safe handling: Avoid breathing vapors or mist. Avoid contact with eves. skin. or clothing. Keep containers closed when not in use. Do not expose containers to open flame, excessive heat, or direct sunlight. Do not puncture or drop containers. Handle with care and avoid spillage on the floor (slippage). Avoid release into the environment.

Keep material out of reach of children.

Keep material away from incompatible materials.

Wash thoroughly after handling.

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities:
- · Storage

• Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Keep containers tightly closed.

Do not store in direct sunlight.

Keep away from heat, sparks and flames.

Store away from strong acids.

Store away from strong oxidizers.

(Contd. on page 5)

US

The Science of Cleaning®

Issue date 04/07/2018

Trade Name: LIQUID MITT

#### Page 5/12

Reviewed on 04/07/2018

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Store away from acid anhydrides. Store away from halogenated compounds. Do not store in Aluminum, Iron, Brass, Copper, Copper Alloys, Galvalized Containers, Nickel, Zinc, Carbon Steel or Rubber. Do not store at temperatures exceeding 50 ℃/122 °F. • Further information about storage conditions: Keep receptacle tightly sealed. · Specific end use(s): No further relevant information available. 8 Exposure Controls/Personal Protection - Additional information about design of technical systems: No further data; see section 7. · Control parameters: Components with occupational exposure limits: The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits. 141-43-5 Monoethanolamine PEL Long-term value: 6 mg/m<sup>3</sup>, 3 ppm REL Short-term value: 15 mg/m<sup>3</sup>, 6 ppm Long-term value: 8 mg/m<sup>3</sup>, 3 ppm TLV Short-term value: 15 mg/m<sup>3</sup>, 6 ppm Long-term value: 7.5 mg/m<sup>3</sup>, 3 ppm 67-63-0 Isopropyl alcohol PEL Long-term value: 980 mg/m<sup>3</sup>, 400 ppm REL Short-term value: 1225 mg/m<sup>3</sup>, 500 ppm Long-term value: 980 mg/m<sup>3</sup>, 400 ppm Short-term value: 984 mg/m<sup>3</sup>, 400 ppm TLV Long-term value: 492 mg/m<sup>3</sup>, 200 ppm BEI · Ingredients with biological limit values: 67-63-0 Isopropyl alcohol BEI 40 mg/L urine end of shift at end of workweek Acetone (background, nonspecific) · Additional information: The lists that were valid during the creation of this SDS were used as basis. · Exposure controls: · Personal protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing and wash before reuse. Wash hands before breaks and at the end of work. (Contd. on page 6)



# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/07/2018

Reviewed on 04/07/2018

Trade Name: LIQUID MITT

· Breathing equipment:

Have self-contained breathing apparatus, positive pressure, MSHA/NIOSH (approved or equivalent) available in case of spillage or equipment failure.

· Protection of hands:



Protective gloves

- · Material of gloves: Neoprene, Nitrile or Buma rubber.
- · Penetration time of glove material: Not applicable.
- · Eye protection:



Goggles recommended during refilling.

Information on basic physical and	chemical properties
General Information Appearance:	
Form:	Liquid
Color:	Clear blue
Odour:	Slight, characteristic
Odor threshold:	Not determined.
pH-value @ 20 ℃ (68 °F):	10-11
Change in condition	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	None
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	Not applicable
Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density @ 20 ℃ (68 °F):	1.010 g/cm³ (8.428 lbs/gal)

(Contd. on page 7)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

lssue date 04/07/2018

Reviewed on 04/07/2018

Trade Name: LIQUID MITT

Vapor density: Evaporation rate:	Not determined. Not determined.	
Solubility in / Miscibility with: Water:	Miscible	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	40 g/L	
Other information:	No further relevant information available.	

# 10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- **Thermal decomposition** / **conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Incompatibilities, flames, ignition sources.
- Incompatible materials: Peroxides, Nitric Acid, Reactive Metals (Zinc or Aluminum), Strong Acids, Strong Oxidizing Agents, Acid Anhydrides, Halogenated Compounds. Extended contact: Iron, Brass, Copper, Copper Alloys, Galvalized Containers, Nickel, Carbon Steel or
  - Extended contact: Iron, Brass, Copper, Copper Alloys, Galvalized Containers, Nickel, Carbon Steel or Rubber.
  - · Hazardous decomposition products: Carbon Oxides, Nitrogen Oxides (NOx), Aldehydes.

icity:	ical effects:	
values that are	relevant for classification:	
Monoethanolan	nine	
LD50	2,050 mg/kg (Rat)	
LD50	1,000 mg/kg (Rabbit)	
opropyl alcoho	1	
LD50	5,045 mg/kg (Rat)	
LD50	12,800 mg/kg (Rabbit)	
LC50/4 h	30 mg/l (Rat)	
LC50/96 hours	9,640 mg/l (Pimephales)	
		(Contd. on page
	<b>values that are</b> <b>Jonoethanolan</b> LD50 LD50 <b>propyl alcoho</b> LD50 LD50 LC50/4 h LC50/96 hours <b>ritant effect:</b> <b>in:</b> No irritating e	values that are relevant for classification:         Anoethanolamine         LD50       2,050 mg/kg (Rat)         LD50       1,000 mg/kg (Rabbit)         Opropyl alcohol         LD50       5,045 mg/kg (Rat)         LD50       12,800 mg/kg (Rabbit)         LC50/4 h       30 mg/l (Rat)         LC50/96 hours       9,640 mg/l (Pimephales)



З

# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/07/2018

Reviewed on 04/07/2018

Trade Name: LIQUID MITT

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

· Carcinogenic categories:

· IARC (International Agency for Research on Cancer):

67-63-0 Isopropyl alcohol

· NTP (National Toxicology Program):

None of the ingredients are listed.

#### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

## 12 Ecological Information

#### · Toxicity:

· Aquatic toxicity:

67-63-0 Isopropyl alcohol

EC50 6,851 mg/l (Green algae)

5,102 mg/l (Water flea)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

## 13 Disposal Considerations

- · Waste treatment methods:
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

(Contd. on page 9)



# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

lssue date 04/07/2018

Reviewed on 04/07/2018

Trade Name: LIQUID MITT

- · Uncleaned packagings
- **Recommendation:** Disposal must be made according to official regulations.

UN-Number:	Non Domistra d Material
DOT, ADR/ADN, ADN, IMDG, IATA	Non-Regulated Material
UN proper shipping name: DOT, ADR/ADN, ADN, IMDG, IATA	Non-Regulated Material
Transport hazard class(es):	
DOT, ADR/ADN, ADN, IMDG, IATA Class:	Non-Regulated Material
Packing group: DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material
Environmental hazards:	Not applicable.
Special precautions for user:	Not applicable.
<i>Transport in bulk according to Annex</i> <i>MARPOL73/78 and the IBC Code:</i>	Il of Not applicable.
UN "Model Regulation":	Non-Regulated Material

## 15 Regulatory Information

- Safety, health and environmental regulations/legislation specific for the substance or mixture: • SARA (Superfund Amendments and Reauthorization):
- Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 Isopropyl alcohol

· TSCA (Toxic Substances Control Act):

68439-46-3 Alcohol C9-11

141-43-5 Monoethanolamine

67-63-0 Isopropyl alcohol

- California Proposition 65:
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

(Contd. on page 10)

US

The Science of Cleaning®

## Page 10/12

US

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/07/2018 Reviewed on 04/07/2018 Trade Name: LIQUID MITT · Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed. · Chemicals known to cause developmental toxicity: None of the ingredients are listed. • New Jersey Right-to-Know List: 141-43-5 Monoethanolamine 67-63-0 Isopropyl alcohol · New Jersey Special Hazardous Substance List: 141-43-5 Monoethanolamine CO, F2 67-63-0 Isopropyl alcohol F3 · Pennsylvania Right-to-Know List: 141-43-5 Monoethanolamine 67-63-0 Isopropyl alcohol · Pennsylvania Special Hazardous Substance List: 67-63-0 Isopropyl alcohol Ε · Carcinogenic categories: · EPA (Environmental Protection Agency): None of the ingredients are listed. · TLV (Threshold Limit Value established by ACGIH): 67-63-0 Isopropyl alcohol A4 · NIOSH-Ca (National Institute for Occupational Safety and Health): None of the ingredients are listed. · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms: GHS07 · Signal word: Warning · Hazard-determining components of labeling: Alcohol C9-11 Monoethanolamine · Hazard statements: H302 Harmful if swallowed. H320 Causes eye irritation. · Precautionary statements: P210 Keep away from heat. - No smoking. P233 Keep container tightly closed. P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P262 Do not get in eyes, on skin, or on clothing. (Contd. on page 11)

The Science of Cleaning®

Page 11/12

# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

lssue date 04/07/2018

Trade Name: LIQUID MITT

Reviewed on 04/07/2018

P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection / face protection.
P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.
	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P312	IF INHALED: Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice.
P337	If eye irritation persists:
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P411	Store at temperatures not exceeding 122 F.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
 · National regulation	ons:
None of the ingred	liante ara listad

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Date of preparation / last revision: 04/07/2018 / 28	
· Abbreviations and acronyms:	
ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterv IMDG: International Maritime Code for Dangerous Goods	vays
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety and Health	
OSHA: Occupational Safety & Health Administration	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
	(Contd. o

The Science of Cleaning®

#### Page 12/12

US

# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

lssue date 04/07/2018

Reviewed on 04/07/2018

#### Trade Name: LIQUID MITT

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 4: Flammable liquids – Category 4 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • \* **Data compared to the previous version altered.** SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106