

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/14/2018

Reviewed on 10/1/2023

1 Identification

- **Product Identifier**
- **Trade Name:** FOAM SHIELD W/ CARNAUBA WAX
- **Product Number:** K-86
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Automotive Detergent & Polish
- **Application of the substance / the mixture:** Detergent
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
Kaady Chemical Corp.
2545 SW SPRING GARDEN ST STE 120
PORTLAND, OR 97219
1-510-562-9788
www.kaadychemical.com
- **Emergency telephone number:** +1-800-424-9300

2 Hazard(s) Identification

- **Classification of the substance or mixture:**



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2B H320 Causes eye irritation.

- **Label elements:**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS07

- **Signal word:** Warning
- **Hazard-determining components of labeling:**
Monoethanolamine
Benzaldehyde
- **Hazard statements:**
H302 Harmful if swallowed.
H315+H320 Causes skin and eye irritation.
- **Precautionary statements:**
P261 Avoid breathing dust.
P262 Do not get in eyes, on skin, or on clothing.
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.

(Contd. on page 2)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/14/2018

Reviewed on 10/1/2023

Trade Name: FOAM SHIELD W/ CARNAUBA WAX

- P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.
 P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P314 Get medical advice if you feel unwell.
 P332+P313 If skin irritation occurs: Get medical advice.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P410 Protect from sunlight.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.
 10 % of the mixture consists of component(s) of unknown toxicity.

- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



Health = 1
 Fire = 0
 Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 1
 Fire = 0
 Physical Hazard = 0

- **Hazard(s) not otherwise classified (HNOC):** None known

3 Composition/Information on Ingredients

- **Non-hazardous components:**

Non-Hazardous Components	60-96%
--------------------------	--------

- **Chemical characterization: Mixtures**

- **Description:** Mixture of substances listed below with non-hazardous additions.

- **Dangerous Components:**

CAS: 61789-40-0	Cocamidopropyl Betaine	1-10%
	⚠ Skin Irrit. 2, H315; Eye Irrit. 2B, H320	
CAS: 141-43-5 RTECS: KJ 5775000	Monoethanolamine	1-10%
	⚠ Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Flam. Liq. 4, H227	
CAS: 1569-01-3 RTECS: UB 9351000	propylene glycol n-propyl ether	1-10%
	⚠ Flam. Liq. 3, H226; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	

(Contd. on page 3)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/14/2018

Reviewed on 10/1/2023

Trade Name: FOAM SHIELD W/ CARNAUBA WAX

CAS: 100-52-7

Benzaldehyde

1-10%

RTECS: CU 4375000

⚠ Acute Tox. 4, H302; Flam. Liq. 4, H227

Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures**Description of first aid measures:****General information:**

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

After inhalation:

Give oxygen or artificial respiration if needed. If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

After skin contact:

Promptly flush skin with water for at least 15 minutes to ensure all chemical is removed. Remove contaminated clothing and wash before reuse. Consult a physician if irritation persists.

After eye contact:

Rinse opened eye for several minutes under running water.

Flush with large amounts of water for at least 15 minutes, lifting upper and lower lids occasionally. Remove contact lenses if present and easy to do so. Get immediate medical attention.

After swallowing:

Rinse mouth with water. Give 3-4 glasses of water or milk to dilute stomach contents. Do NOT induce vomiting. Seek medical attention.

Information for doctor:**Most important symptoms and effects, both acute and delayed:**

No further relevant information available.

Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures**Extinguishing media:****Suitable extinguishing agents:**

CO₂, sand, dry chemical, water mist or alcohol resistant foam.

Use fire fighting measures that suit the environment.

For safety reasons unsuitable extinguishing agents: No further relevant information.**Special hazards arising from the substance or mixture:**

Carbon Oxides

Nitrogen Oxides (NO_x)

(Contd. on page 4)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/14/2018

Reviewed on 10/1/2023

Trade Name: FOAM SHIELD W/ CARNAUBA WAX**· Advice for firefighters:****· Protective equipment:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures**· Personal precautions, protective equipment and emergency procedures:**

Use personal protective equipment.

Keep from contacting skin or eyes.

Avoid breathing vapors, mist or gas.

Ensure adequate ventilation.

Evacuate personnel to safe areas.

· Environmental precautions: Do not allow to enter sewers/surface or ground water.**· Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals**· PAC-1:**

141-43-5	Monoethanolamine	6 ppm
100-52-7	Benzaldehyde	4 ppm

· PAC-2:

141-43-5	Monoethanolamine	170 ppm
100-52-7	Benzaldehyde	9.9 ppm

· PAC-3:

141-43-5	Monoethanolamine	1,000 ppm
100-52-7	Benzaldehyde	59 ppm

7 Handling and Storage**· Handling****· Precautions for safe handling:**

Avoid breathing vapors or mist.

Avoid contact with eyes, skin, or clothing.

Do not expose containers to open flame, excessive heat, or direct sunlight.

Do not puncture or drop containers.

Handle with care and avoid spillage on the floor (slippage).

Keep material out of reach of children.

Keep material away from incompatible materials.

Wash thoroughly after handling.

(Contd. on page 5)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/14/2018

Reviewed on 10/1/2023

Trade Name: FOAM SHIELD W/ CARNAUBA WAX

- **Information about protection against explosions and fires:** Protect from heat.
- **Conditions for safe storage, including any incompatibilities:**
 - **Storage**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:**
 - Keep containers tightly closed.
 - Do not store in direct sunlight.
 - Keep away from heat, sparks and flames.
 - Store away from strong oxidizers, strong acids, strong bases, Alkali metals, Aluminum, phenols, rubber, Copper and Brass.
 - **Further information about storage conditions:**
 - Keep receptacle tightly sealed.
 - Protect from heat and direct sunlight.
 - **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**
 - The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
 - At this time, the other constituents have no known exposure limits.

141-43-5 Monoethanolamine

PEL	Long-term value: 6 mg/m ³ , 3 ppm
REL	Short-term value: 15 mg/m ³ , 6 ppm Long-term value: 8 mg/m ³ , 3 ppm
TLV	Short-term value: 15 mg/m ³ , 6 ppm Long-term value: 7.5 mg/m ³ , 3 ppm

100-52-7 Benzaldehyde

WEEL	Short-term value: 4 ppm Long-term value: 2 ppm
DSEN	

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - The usual precautionary measures for handling chemicals should be followed.
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing and wash before reuse.
 - Wash hands before breaks and at the end of work.
- **Breathing equipment:**
 - Have self-contained breathing apparatus, positive pressure, MSHA/NIOSH (approved or equivalent) available in case of spillage or equipment failure.

(Contd. on page 6)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/14/2018

Reviewed on 10/1/2023

Trade Name: FOAM SHIELD W/ CARNAUBA WAX**Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Select glove material based on penetration times, rates of diffusion and degradation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Neoprene, Nitrile or Buna Rubber.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

Eye protection:

Safety glasses

Body protection: Not required.**9 Physical and Chemical Properties****Information on basic physical and chemical properties****General Information****Appearance:****Form:**

Liquid

Color:

Clear, Color Varies Upon Customer Request (Red, Blue, Green, Gold or White)

Odour:

Cherry

Odor threshold:

Not determined.

pH-value @ 20 °C (68 °F):

6.5-7.5

Change in condition**Melting point/Melting range:**

Not determined.

Boiling point/Boiling range:

Not determined.

Flash point:

None

Flammability (solid, gaseous):

Not applicable.

Ignition temperature:

Not applicable

Decomposition temperature:

Not determined.

(Contd. on page 7)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/14/2018

Reviewed on 10/1/2023

Trade Name: FOAM SHIELD W/ CARNAUBA WAX

· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density @ 20 °C (68 °F):	1.002 g/cm ³ (8.362 lbs/gal)
· Relative density:	Not determined.
· Vapor density:	Not determined.
· Evaporation rate:	Not determined.
· Solubility in / Miscibility with:	
Water:	Fully Soluble
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
VOC content:	8 %
Solids content:	0.0 %
· Other information:	No further relevant information available.

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Product is stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** Incompatibilities, flames, ignition sources.
- **Incompatible materials:**
Strong oxidizers, strong acids, strong bases, Alkali metals, Aluminum, phenols, rubber, Copper and Brass.
- **Hazardous decomposition products:** Carbon Oxides and Nitrogen Oxides (NO_x).

11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**

141-43-5 Monoethanolamine

Oral	LD50	2,050 mg/kg (Rat)
------	------	-------------------

(Contd. on page 8)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/14/2018

Reviewed on 10/1/2023

Trade Name: FOAM SHIELD W/ CARNAUBA WAX

Dermal LD50 1,000 mg/kg (Rabbit)

1569-01-3 propylene glycol n-propyl ether

Oral LD50 2,504 mg/kg (Rat)

Dermal LD50 3,550 mg/kg (Rabbit)

100-52-7 Benzaldehyde

Oral LD50 1,300 mg/kg (Rat)

· **Primary irritant effect:**· **On the skin:** No irritating effect.· **On the eye:** Irritating effect.· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

· **Carcinogenic categories:**· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

12 Ecological Information· **Toxicity:**· **Aquatic toxicity:****61789-40-0 Cocamidopropyl Betaine**

EC50 1-10 mg/l (Green algae)

6.5 mg/l (Daphnia)

· **Persistence and degradability:** No further relevant information available.· **Behavior in environmental systems:**· **Bioaccumulative potential:** No further relevant information available.· **Mobility in soil:** No further relevant information available.· **Additional ecological information:**· **General notes:**

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· **Results of PBT and vPvB assessment:**· **PBT:** Not applicable.· **vPvB:** Not applicable.

(Contd. on page 9)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/14/2018

Reviewed on 10/1/2023

Trade Name: FOAM SHIELD W/ CARNAUBA WAX· **Other adverse effects:** No further relevant information available.**13 Disposal Considerations**

- **Waste treatment methods:**
- **Recommendation:**
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport Information

- | | |
|---|------------------------|
| · UN-Number: | |
| · DOT, ADR/ADN, ADN, IMDG, IATA | Non-Regulated Material |
| · UN proper shipping name: | |
| · DOT, ADR/ADN, ADN, IMDG, IATA | Non-Regulated Material |
| · Transport hazard class(es): | |
| · DOT, ADR/ADN, ADN, IMDG, IATA | |
| · Class: | Non-Regulated Material |
| · Packing group: | |
| · DOT, ADR/ADN, IMDG, IATA | Non-Regulated Material |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user: | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: | Not applicable. |
| · UN "Model Regulation": | Non-Regulated Material |

15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

- **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

- **TSCA (Toxic Substances Control Act):**

61789-40-0 Cocamidopropyl Betaine

141-43-5 Monoethanolamine

1569-01-3 propylene glycol n-propyl ether

(Contd. on page 10)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/14/2018

Reviewed on 10/1/2023

Trade Name: FOAM SHIELD W/ CARNAUBA WAX

100-52-7 Benzaldehyde

· **California Proposition 65:**· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **New Jersey Right-to-Know List:**

141-43-5 Monoethanolamine

100-52-7 Benzaldehyde

· **New Jersey Special Hazardous Substance List:**

141-43-5 Monoethanolamine

CO, F2

· **Pennsylvania Right-to-Know List:**

141-43-5 Monoethanolamine

100-52-7 Benzaldehyde

· **Pennsylvania Special Hazardous Substance List:**

None of the ingredients are listed.

· **Carcinogenic categories:**· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**

GHS07

· **Signal word:** Warning· **Hazard-determining components of labeling:**

Monoethanolamine

Benzaldehyde

· **Hazard statements:**

H302 Harmful if swallowed.

(Contd. on page 11)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/14/2018

Reviewed on 10/1/2023

Trade Name: FOAM SHIELD W/ CARNAUBA WAX*H315+H320 Causes skin and eye irritation.***Precautionary statements:***P261 Avoid breathing dust.**P262 Do not get in eyes, on skin, or on clothing.**P264 Wash thoroughly after handling.**P270 Do not eat, drink or smoke when using this product.**P273 Avoid release to the environment.**P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.**P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.**P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.**P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**P314 Get medical advice if you feel unwell.**P332+P313 If skin irritation occurs: Get medical advice.**P337+P313 If eye irritation persists: Get medical advice/attention.**P410 Protect from sunlight.**P501 Dispose of contents/container in accordance with local/regional/national/international regulations.***National regulations:***None of the ingredients are listed.***Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other Information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Date of preparation / last revision: 04/14/2018 / 28**Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

(Contd. on page 12)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/14/2018

Reviewed on 10/1/2023

Trade Name: FOAM SHIELD W/ CARNAUBA WAX

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3

Flam. Liq. 4: Flammable liquids – Category 4

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* **Data compared to the previous version altered.**SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106

US