

Printing date 12/18/2024

Reviewed on 6/26/2025

Page 1/10

### 1 Identification

- · Product identifier
- · Trade name: CLEAR COAT SHINE
- · Article number: K-200C2
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Kaady Chemical Corp. 2545 SW SPRING GARDEN ST STE 120 PORTLAND, OR 97219 +1-510-562-9788 www.kaadychemical.com
- Information department: Product safety department
   Emergency telephone number:
   CHEMTREC 800-424-9300
   ACCT# 12158

### 2 Hazard(s) identification

· Classification of the substance or mixture



Acute Tox. 4 H302 Harmful if swallowed.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Warning

- *Hazard-determining components of labeling:* Quaternary ammonium compounds, dicocoalkyldimethyl, chlorides 2-butoxyethanol
- · Hazard statements Harmful if swallowed.
- Precautionary statements
   Wash thoroughly after handling.
   Do not eat, drink or smoke when using this product.
   If swallowed: Call a poison center/doctor if you feel unwell.
   Rinse mouth.
   Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

<sup>—</sup> Us

Printing date 12/18/2024

Trade name: CLEAR COAT SHINE

Classification system:
NFPA ratings (scale 0 - 4) Health = 1 Fire = 0 Reactivity = 0
HMIS-ratings (scale 0 - 4) Health = 1 Fire = 0 Reactivity = 0
Other hazards
Results of PBT and vPvB assessment PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	· Dangerous components:		
61789-77-3	Quaternary ammonium compounds, dicocoalkyldimethyl, chlorides	<10%	
111-76-2	2-butoxyethanol	<10%	
541-02-6	2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane	<10%	

#### · Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of <u>1910.1200 of 29 CFR 1910.1200 Trade Secrets</u>.

#### 4 First-aid measures

#### · Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

(Contd. of page 1)

Reviewed on 6/26/2025

Printing date 12/18/2024

Reviewed on 6/26/2025

#### Trade name: CLEAR COAT SHINE

(Contd. of page 2)

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with the skin or eyes.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures	
Avoid contact with the eyes, skin and clothing. Ensure adequate ventilation.	
Wear protective equipment. Keep unprotected persons away.	
Environmental precautions:	
Dilute with plenty of water.	
<ul> <li>Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).</li> </ul>	
Dispose contaminated material as waste according to item 13.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
111-76-2 2-butoxyethanol	60 ppm
· PAC-2:	
111-76-2 2-butoxyethanol	120 ppm
· PAC-3:	
111-76-2 2-butoxyethanol	700 ppm

## 7 Handling and storage

· Handling:

- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.

(Contd. on page 4)

Page 4/10

## Safety Data Sheet acc. to OSHA HCS

Printing date 12/18/2024

#### Trade name: CLEAR COAT SHINE

- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

#### · Control parameters

All ventilation should be disigned in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

#### Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

111-	111-76-2 2-butoxyethanol		
PEL	Long-term value: 240 mg/m³, 50 ppm Skin		
REL	Long-term value: 24 mg/m³, 5 ppm Skin		
TLV	Long-term value: 20 ppm BEI, A3		
· Ingr	Ingredients with biological limit values:		
111-	76-2 2-butoxyethanol		
	200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid (BAA) (with hydrolysis)		

· Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

## Personal protective equipment:

- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

(Contd. of page 3)

Reviewed on 6/26/2025

Printing date 12/18/2024

Reviewed on 6/26/2025

#### Trade name: CLEAR COAT SHINE

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • **Eye protection:** Goggles recommended during refilling.

General Information       Liquid         Appearance:       Form:       Liquid         Form:       Color:       Amber colored         Odor:       Characteristic       Odorthreshold:         Odor threshold:       Not determined.         Change in condition       Metting point/Metting range:       Undetermined.         Boiling point/Metting range:       100 °C (212 °F)         Flash point:       Not applicable.         Flammability (solid, gaseous):       Not applicable.         Peromposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product does not present an explosion hazard.         Explosion limits:       Lower:         Lower:       Not determined.         Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         Density (Specific Gravity):       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Wate determined.         Vapor density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Wate determined.         Vapor density <t< th=""><th>Information on basic physical and</th><th>chemical properties</th><th></th></t<>	Information on basic physical and	chemical properties	
Form:LiquidColor:Amber coloredOdor:CharacteristicOdor threshold:Not determined.Change in conditionUndetermined.Melting point/Boiling range:Undetermined.Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product is not selfigniting.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density (Specific Gravity):Not determined.Vapor densityNot determined.Vapor anativeNot determined.Solubility in / Miscibility withYot determined.Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Vaporation:Not determined.Viscosity:Not determined.Solubility in / Miscibility withNot determined.Vaporation:Not determined.Viscosity:Not determined.Solvent content:Not determined.Solvent content:Not determined.			
Color:Amber colored CharacteristicOdorCharacteristicOdor threshold:Not determined.Change in condition Melting point/Belling range:Undetermined.Boiling point/Belling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Pecomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density (Specific Gravity): Not determined.Not determined.Vapor density Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content:Vistore			
Odor:CharacteristicOdor threshold:Not determined.Charge in condition			
Odor threshold:       Not determined.         Change in condition       Undetermined.         Melting point/Melting range:       100 °C (212 °F)         Flash point:       Not applicable.         Flash point:       Not applicable.         Flammability (solid, gaseous):       Not applicable.         Decomposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product does not present an explosion hazard.         Explosion limits:       Lower:         Lower:       Not determined.         Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         Density (Specific Gravity):       Not determined.         Relative density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Fully miscible.         Partition coefficient (n-octanol/water): Not determined.       Partition coefficient (n-octanol/water): Not determined.         Viscosity:       Dynamic:       Not determined.         Dynamic:       Not determined.         Solvent content:       Not determined.			
Change in condition Melting point/Melting range:       Undetermined. 100 °C (212 °F)         Flash point:       Not applicable.         Flammability (solid, gaseous):       Not applicable.         Flammability (solid, gaseous):       Not applicable.         Decomposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product does not present an explosion hazard.         Explosion limits:       Lower:         Lower:       Not determined.         Upper:       Not determined.         Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         Density (Specific Gravity):       Not determined.         Relative density       Not determined.         Vapor density       Not determined.         Evaporation rate       Not determined.         Solubility in / Miscibility with       Fully miscible.         Partition coefficient (n-octanol/water): Not determined.       Not determined.         Viscosity:       Dynamic:       Not determined.         Dynamic:       Not determined.         Solvent content:       Not determined.			
Meting point/Melting range:       Undetermined.         Boiling point/Boiling range:       100 °C (212 °F)         Flash point:       Not applicable.         Flammability (solid, gaseous):       Not applicable.         Decomposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product does not present an explosion hazard.         Explosion limits:			
Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Vot determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density (Specific Gravity):Not determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Vot determined.Viscosity:Not determined.Solvent content:Kot determined.		Undetermined.	
Flammability (solid, gaseous):       Not applicable.         Decomposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product does not present an explosion hazard.         Explosion limits:       Product does not present an explosion hazard.         Lower:       Not determined.         Upper:       Not determined.         Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         Density (Specific Gravity):       Not determined.         Relative density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Fully miscible.         Partition coefficient (n-octanol/water): Not determined.       Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         Kinematic:       Not determined.         Solvent content:       Not determined.		100 °C (212 °F)	
Decomposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product does not present an explosion hazard.         Explosion limits:       Lower:         Lower:       Not determined.         Upper:       Not determined.         Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         Density (Specific Gravity):       Not determined.         Relative density       Not determined.         Vapor density       Not determined.         Evaporation rate       Not determined.         Solubility in / Miscibility with       Fully miscible.         Partition coefficient (n-octanol/water): Not determined.       Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         Viscosity:       Not determined.         Solvent content:       Not determined.	Flash point:	Not applicable.	
Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product does not present an explosion hazard.         Explosion limits:       Lower:         Lower:       Not determined.         Upper:       Not determined.         Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         Density (Specific Gravity):       Not determined.         Relative density       Not determined.         Vapor density       Not determined.         Evaporation rate       Not determined.         Solubility in / Miscibility with       Fully miscible.         Partition coefficient (n-octanol/water): Not determined.       Viscosity:         Dynamic:       Not determined.         Kinematic:       Not determined.         Solvent content:       Vot determined.	Flammability (solid, gaseous):	Not applicable.	
Danger of explosion:       Product does not present an explosion hazard.         Explosion limits:	Decomposition temperature:	Not determined.	
Explosion limits:       Not determined.         Lower:       Not determined.         Upper:       Not determined.         Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         Density (Specific Gravity):       Not determined.         Relative density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Evaporation rate       Not determined.         Solubility in / Miscibility with       Water:         Water:       Fully miscible.         Partition coefficient (n-octanol/water): Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         Kinematic:       Not determined.         Solvent content:       Viscosity:	Auto igniting:	Product is not selfigniting.	
Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density (Specific Gravity):Not determined.Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent content:	Danger of explosion:	Product does not present an explosion hazard.	
Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density (Specific Gravity):Not determined.Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content:Not determined.	Explosion limits:		
Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         Density (Specific Gravity):       Not determined.         Relative density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Water:         Fully miscible.         Partition coefficient (n-octanol/water): Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         Kinematic:       Not determined.         Solvent content:       Viscosity:			
Density (Specific Gravity):       Not determined.         Relative density       Not determined.         Vapor density       Not determined.         Evaporation rate       Not determined.         Solubility in / Miscibility with       Water:         Fully miscible.         Partition coefficient (n-octanol/water): Not determined.         Viscosity:         Dynamic:       Not determined.         Not determined.         Solvent content:	Upper:	Not determined.	
Relative density       Not determined.         Vapor density       Not determined.         Evaporation rate       Not determined.         Solubility in / Miscibility with       Water:         Water:       Fully miscible.         Partition coefficient (n-octanol/water): Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         Kinematic:       Not determined.         Solvent content:       Viscosity:	Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Vapor density       Not determined.         Evaporation rate       Not determined.         Solubility in / Miscibility with Water:       Fully miscible.         Partition coefficient (n-octanol/water):       Not determined.         Viscosity: Dynamic: Kinematic:       Not determined.         Solvent content:       Not determined.		Not determined.	
Evaporation rate       Not determined.         Solubility in / Miscibility with Water:       Fully miscible.         Partition coefficient (n-octanol/water):       Not determined.         Viscosity: Dynamic: Kinematic:       Not determined.         Solvent content:       Not determined.			
Solubility in / Miscibility with Water:       Fully miscible.         Partition coefficient (n-octanol/water): Not determined.         Viscosity:         Dynamic:       Not determined.         Kinematic:       Not determined.         Solvent content:			
Water:       Fully miscible.         Partition coefficient (n-octanol/water): Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         Kinematic:       Not determined.         Solvent content:       Fully miscible.	Evaporation rate	Not determined.	
Partition coefficient (n-octanol/water): Not determined.         Viscosity:         Dynamic:       Not determined.         Kinematic:       Not determined.         Solvent content:	• •	<b>-</b>	
Viscosity:		-	
Dynamic:     Not determined.       Kinematic:     Not determined.       Solvent content:     Not determined.	Partition coefficient (n-octanol/wat	er): Not determined.	
Kinematic:     Not determined.       Solvent content:     Not determined.			
Solvent content:			
	Kinematic:	Not determined.	
Organic solvents: -* %		* • •	
Water: PROPRIETARY %			

(Contd. of page 4)

Printing date 12/18/2024

Reviewed on 6/26/2025

#### Trade name: CLEAR COAT SHINE

	(Contd. of page 5)
-*%	
_*	
0.0 %	
• Other information No further relevant information available.	
	-* 0.0 %

### 10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

#### ATE (Acute Toxicity Estimate)

Oral LD50 1,697–1,926 mg/kg Inhalative LC50/4 h 314 mg/l

#### 111-76-2 2-butoxyethanol

Oral	LD50	1,200 mg/kg (ATE)
		1,480 mg/kg (rat)
Dermal	LD50	400 mg/kg (rab)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

· Sensitization: No sensitizing effects known.

· Additional toxicological information: Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

111-76-2 2-butoxyethanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

3

US-

Printing date 12/18/2024

#### Trade name: CLEAR COAT SHINE

#### • OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
  - Results of PBT and vPvB assessment
  - · **PBT:** Not applicable.
  - · vPvB: Not applicable.
  - · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	not regulated	
· UN proper shipping name · DOT, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	not regulated	

(Contd. of page 6)

Reviewed on 6/26/2025

Printing date 12/18/2024

Reviewed on 6/26/2025

#### Trade name: CLEAR COAT SHINE

		(Contd. of page 7
· Packing group · DOT, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Anne MARPOL73/78 and the IBC Code	ex II of Not applicable.	
· UN "Model Regulation":	not regulated	

## 15 Regulatory information

## Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
111-76-2 2-butoxyethanol	
· TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

• EPA (Environmental Protection Agency)

111-76-2 2-butoxyethanol

### • TLV (Threshold Limit Value)

111-76-2 2-butoxyethanol

67-63-0 propan-2-ol

(Contd. on page 9)

NL

AЗ

A4


Page 9/10

## Safety Data Sheet acc. to OSHA HCS

Printing date 12/18/2024

Reviewed on 6/26/2025

#### Trade name: CLEAR COAT SHINE



Page 10/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 12/18/2024

### Trade name: CLEAR COAT SHINE

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Reviewed on 6/26/2025

(Contd. of page 9)

US