



Printing date 12/18/2024 Reviewed on 6/25/2025

### 1 Identification

- · Product identifier
- · Trade name: TIRE, WHEEL, AND BODY CLEANER LEMON
- · Article number: K-45
- · Application of the substance / the mixture Cleaner for Automotive Tires, Wheel & Body
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
  Kaady Chemical Corp.
  2545 SW SPRING GARDEN ST STE 120
  PORTLAND, OR 97219
  +1-510-562-9788
  www.kaadychemical.com
- · Information department: Product safety department
- Emergency telephone number: CHEMTREC 1-800-424-9300 ACCT# 12158

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 1A H350 May cause cancer.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms





GHS07 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Monoethanolamine Ethanol (v/v)

(Contd. on page 2)

Printing date 12/18/2024 Reviewed on 6/25/2025

Trade name: TIRE, WHEEL, AND BODY CLEANER

(Contd. of page 1)

tetrasodium ethylenediaminetetraacetate

trisodium nitrilotriacetate

#### · Hazard statements

Harmful if swallowed or in contact with skin.

Causes skin irritation.

Causes serious eye irritation.

May cause cancer.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)

Health = 1

Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)

Health = 1

Fire = 0

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:			
64-02-8	tetrasodium ethylenediaminetetraacetate	<10%	
5064-31-3	trisodium nitrilotriacetate	<10%	

(Contd. on page 3)

Printing date 12/18/2024 Reviewed on 6/25/2025

Trade name: TIRE, WHEEL, AND BODY CLEANER

	(Conto	. of page 2)
141-43-5	Monoethanolamine	<5%
64-17-5	Ethanol (v/v)	<5%
67-63-0	propan-2-ol	<5%

#### · Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of 1910.1200 of 29 CFR 1910.1200 Trade Secrets.

#### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eyes for at least several minutes under running water.

If easy to do so, remove contact lenses if worn.

If eye irritation persists, see medical advice.

- After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with the skin or eyes.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Avoid contact with the eyes, skin and clothing.

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions: Dilute with plenty of water.

(Contd. on page 4)





Printing date 12/18/2024 Reviewed on 6/25/2025

Trade name: TIRE, WHEEL, AND BODY CLEANER

(Contd. of page 3)

#### · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
64-02-8	tetrasodium ethylenediaminetetraacetate	75 mg/m <sup>3</sup>
141-43-5	Monoethanolamine	6 ppm
64-17-5	Ethanol (v/v)	1,800 ppr
67-63-0	propan-2-ol	400 ppm
PAC-2:		•
64-02-8	tetrasodium ethylenediaminetetraacetate	830 mg/m
141-43-5	Monoethanolamine	170 ppm
64-17-5	Ethanol (v/v)	3300* ppr
67-63-0	propan-2-ol	2000* ppr
PAC-3:		
64-02-8	tetrasodium ethylenediaminetetraacetate	5,000 mg/m
141-43-5	Monoethanolamine	1,000 ppm
64-17-5	Ethanol (v/v)	15000* ppm
67-63-0	propan-2-ol	12000** ppi
	I .	

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

- US





Printing date 12/18/2024 Reviewed on 6/25/2025

Trade name: TIRE, WHEEL, AND BODY CLEANER

(Contd. of page 4)

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

All ventilation should be disigned in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

|--|

PEL Long-term value: 6 mg/m³, 3 ppm REL Short-term value: 15 mg/m³, 6 ppm

Long-term value: 8 mg/m³, 3 ppm

TLV Short-term value: 6 ppm Long-term value: 3 ppm

#### 64-17-5 Ethanol (v/v)

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV | Short-term value: 1000 ppm

*A3* 

### 67-63-0 propan-2-ol

PEL Long-term value: 980 mg/m³, 400 ppm REL Short-term value: 1225 mg/m³. 500 ppm

Long-term value: 980 mg/m³, 400 ppm

TLV Short-term value: 400 ppm Long-term value: 200 ppm

BEI, A4

### · Ingredients with biological limit values:

#### 67-63-0 propan-2-ol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

(Contd. on page 6)





Printing date 12/18/2024 Reviewed on 6/25/2025

Trade name: TIRE, WHEEL, AND BODY CLEANER

(Contd. of page 5)

Avoid contact with the eyes and skin.

#### Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Color: Green
Odor: Characteristic

· Odor: Characteristic · Odor threshold: Not determined.

· pH-value at 20 °C (68 °F): 11.6

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: 100 °C (212 °F)

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

Decomposition temperature: Not determined.

· **Auto igniting:** Product is not selfigniting.

(Contd. on page 7)





Reviewed on 6/25/2025 Printing date 12/18/2024

Trade name: TIRE, WHEEL, AND BODY CLEANER

		(Contd. of pag
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	20 hPa (15 mm Hg)	
Density (Specific Gravity):	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/w	rater): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	-* %	
Water:	PROPRIETARY %	
VOC content:	-* %	
	<b>-*</b>	
Solids content:	0.0 %	
Other information	No further relevant information available.	

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Reviewed on 6/25/2025 Printing date 12/18/2024

Trade name: TIRE, WHEEL, AND BODY CLEANER

(Contd. of page 7)

11 TOXICON	ogicai iii	iomation	
· Informatio · Acute tox		icological effects	
· LD/LC50	values tha	nt are relevant for classification:	
ATE (Acu	te Toxicity	y Estimate)	
Oral	LD50	5,383 mg/kg	
Dermal	LD50	20,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	220 mg/l	
5064-31-3	trisodiun	n nitrilotriacetate	
Oral	LD50	1,450 mg/kg (rat)	
141-43-5	141-43-5 Monoethanolamine		
Oral	LD50	2,050 mg/kg (rat)	
Dermal	LD50	1,000 mg/kg (rabbit)	

LD50 12,800 mg/kg (rabbit) Dermal Inhalative LC50/4 h 30 mg/l (rat) Primary irritant effect:

67-63-0 propan-2-ol

LD50

64-17-5 Ethanol (v/v) LD50

· on the skin: Irritant to skin and mucous membranes.

7,060 mg/kg (rat)

5,045 mg/kg (rat)

- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Inhalative | LC50/4 h | 20,000 mg/l (rat)

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

Oral

Oral

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
64-17-5 Ethanol (v/v)	1
67-63-0 propan-2-ol	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

Reviewed on 6/25/2025 Printing date 12/18/2024

Trade name: TIRE, WHEEL, AND BODY CLEANER

(Contd. of page 8)

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number		
DOT, ADN, IMDG, IATA	not regulated	
UN proper shipping name		
DOT, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
· DOT, IMDG, IATA	not regulated	

(Contd. on page 10)

Printing date 12/18/2024 Reviewed on 6/25/2025

Trade name: TIRE, WHEEL, AND BODY CLEANER

		(Contd. of page 9)
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	not regulated	

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):
- 67-63-0 propan-2-ol
- · TSCA (Toxic Substances Control Act):

1		
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
	TRADE SECRET	*
64-02-8	tetrasodium ethylenediaminetetraacetate	ACTIVE
5064-31-3	trisodium nitrilotriacetate	ACTIVE
141-43-5	Monoethanolamine	ACTIVE
64-17-5	Ethanol (v/v)	ACTIVE
67-63-0	propan-2-ol	ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 Ethanol (v/v)

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 11)

Printing date 12/18/2024 Reviewed on 6/25/2025

Trade name: TIRE, WHEEL, AND BODY CLEANER

(Contd. of page 10)

· TLV (Th	reshold Limit Value)	
64-17-5	Ethanol (v/v)	A3
67-63-0	propan-2-ol	A4
MOCH	Co (National Institute for Occumational Sofety and Hoolth)	

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Monoethanolamine

Ethanol (v/v)

tetrasodium ethylenediaminetetraacetate

trisodium nitrilotriacetate

#### · Hazard statements

Harmful if swallowed or in contact with skin.

Causes skin irritation.

Causes serious eye irritation.

May cause cancer.

#### Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 12)





Printing date 12/18/2024 Reviewed on 6/25/2025

Trade name: TIRE, WHEEL, AND BODY CLEANER

(Contd. of page 11)

- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 12/18/2024 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Carc. 1A: Carcinogenicity - Category 1A

\* \* Data compared to the previous version altered.